




Surgical procedures have evolved...



## **SPM Surgical**

**Medical Furniture** 








**SPM SURGICAL** is one of the prominent **ISO 9001: 2015 W H O G M P** and **CE** certificated company specializing in the production of operation theatre table and operation theatre led light in India which id continued to be the trendsetter throughout the year of history from the last 15 year we have created of a proficient niche both in the domestic and international medical industries with it products sold and to countries and regions like Europe

the medical east south America, Africa and south east ASIA we have the privilege to design and distribute the most sophisticated and technological latest products in the services of medical profession our research and development department is continuously involved in designing and devolving better design and technical solution at the required standard by the customers. We are empowered with an efficient workforce of the skilled and dedicated staff over manufacturing facilities are located in Delhi equipped with the latest machinery and all the work is done is house we also continuously improved the product quality we assure to satisfy you with over quality workman ship and after sale services as we always do to meet the requests of over valuable customers we give our customer a tailor cost for cost effectiveness by keeping close watch at every step in order to give a personalized services motivated by the services philosophy of endeavour to affect customers. **SPM SURGICAL** will as always preserve in the creative the new image in the Indian medical equipment production and contribution to the health of all human beings around the world. We can also manufacture the equipment according to your required specification as we are original manufacturers so please let us know if you need any change.

# Certificate









### **FULLY MOTORIZED BED SPM -5000**

### 4 Motors

Motorized adjustment of Backrest, Knee Rest, Height, Trendelenberg / Reverse Trendelenberg Remote Hand set

Detachable ABS Head and Foot Panel
Easily Lockable Fold away ABS Side Rails
Perforated Mild Steel Four Section Top
Angle Indicator for Backrest Position and Trendelenberg
IV Pole Socket located at Four Corners
Protective Plastic Corner Buffer
Single wheel Castors 125 mm, Two with Lock
All MS Parts are Pre-treated and Epoxy Powder Coated.

### **Technical Data**

- Overall Dimension Buffer to Buffer
   2140 mm x 1080 mm (L x W) 84" x 42"
- Platform Dimension 1900 mm x 900 mm( L x W) 75" x 35"
- Minimum Height without Mattress 510 mm 20"
- Maximum Height without Mattress 810 mm 32"
- Backrest 0-65 degree
- Knee-rest 0-40 degree
- Trendelenberg / Rev. Trendelenberg Ber 0 15 degree

### **Optional Accessories**

- Four Section Mattress with 4" thick PU foam
- Height adjustable Stainless Steel IV pole
- X ray permeable Backrest with Cassette Holder



### **FULLY MOTORIZED BED SPM -4003**

FULLY MOTORIZED BED SMH-4003

3 Motors

Motorized adjustment of Backrest, Knee Rest, Height Remote Hand set

Detachable ABS Head and Foot Panel

Easily Lockable Fold away ABS Side Rails

Perforated Mild Steel Four Section Top

IV Pole Socket located at Four Corners

Protective Plastic Corner Buffer

Single wheel Castors 125 mm, Two with Lock

All MS Parts are Pre-treated and Epoxy Powder Coated.

### **Technical Data**

- Overall Dimension Buffer to Buffer
   2140 mm x 1080 mm (L x W) 84" x 42"
- Platform Dimension 1900 mm x 900 mm( L x W) 75" x 35"
- Minimum Height without Mattress 510 mm 20"
- Maximum Height without Mattress 810 mm 32"
- Backrest 0-65 degree
- Knee-rest 0-40 degree

### **Optional Accessories**

- Four Section Mattress with 4" thick PU foam
- Height adjustable Stainless Steel IV pole
- X ray permeable Backrest with Cassette Holder



### **SEMI MOTORIZED BED SPM -4000**

### 2 Motors

Motorized adjustment on Remote of Backrest & Height Manual adjustment on Crank, Knee rest & Trendelenberg /Rev-Trendelenberg

Detachable ABS Head and Foot Panel
Easily Lockable Fold away ABS Side Rails
Perforated Mild Steel Four Section Top
IV Pole Socket located at Four Corners
Protective Plastic Corner Buffer
Single wheel Castors 125 mm, Two with Lock
All MS Parts are Pre-treated and Epoxy Powder Coated.

### **Technical Data**

- Overall Dimension Buffer to Buffer
   2140 mm x 1080 mm (L x W) 84" x 42"
- Platform Dimension 1900 mm x 900 mm( L x W) 75" x 35"
- Minimum Height without Mattress 560 mm 22"
- Maximum Height without Mattress 790 mm 31"
- Backrest 0-65 degree
- Knee-rest 0-40 degree

### **Optional Accessories**

- Four Section Mattress with 4" thick PU foam
- Height adjustable Stainless Steel IV pole
- X ray permeable Backrest with Cassette Holder





### **ICU BED MECHANICAL SPM -3000**

Manual adjustment of Backrest, Knee Rest, Height, Trendelenberg / Reverse Trendelenberg Positions,
Detachable ABS Head and Foot Panel Easily Lockable Fold away ABS Side Rails, Perforated Mild Steel Four Section Top,
IV Pole Socket located at Four Corners Protective Plastic Corner Buffer, Casters 125 mm, Two with Lock, All MS Parts
are Pre-treated and Epoxy Powder Coated



### **ICU BED MECHANICAL SPM -3001**

Manual adjustment of Backrest, Knee Rest, Height, Trendelenberg / Reverse Trendelenberg Positions,

Detachable ABS Head and Foot Panel Easily Lockable Collapsible Side Rails, Perforated Mild Steel Four Section Top,

IV Pole Socket located at Four Corners, Protective Plastic Corner Buffer Casters 125 mm, Two with Lock, All MS Parts

are Pre-treated and Epoxy Powder Coated

### **Technical Data**

Overall Dimension Buffer to Buffer 2185 mm x 1085 mm (L x W) 85" x 42" 
Platform Dimension 1900 mm x 900 mm(L x W) 75" x 35" 
Minimum Height without Mattress 560 mm 22" Maximum Height without Mattress 790 mm 31"

### **Optional Accessories**

Four Section Mattress with 4" thick PU foam Height adjustable Stainless Steel IV pole





2 Motors Motorized adjustment On Remote of Backrest & Knee rest Detachable ABS Head and Foot Panel, Easily Lockable Fold away ABS Side Rails, Perforated Mild Steel Four Section Top, IV Pole Socket located at Four Corners, Protective Plastic Corner Buffer Single wheel Castors 125 mm, Two with Lock All MS Parts are Pre-treated and Epoxy Powder Coated.



### FOWLER BED MOTORIZED SPM -2002M

Single Motor adjustment on Remote of Backrest & Knee rest on Crank Mechanism. Detachable ABS Head and Foot Panel Easily Lockable Fold away ABS Side Rails Perforated Mild Steel Four Section Top IV Pole Socket located at Four Corners Protective Plastic Corner Buffer Single wheel Castors 125 mm, Two with Lock All MS Parts are Pre-treated and Epoxy Powder Coated.

### **Technical Data**



### Fowler Bed Manual SPM |-2002

Manual adjustment of Backrest and Knee Rest,
Fixed Height, Detachable ABS Head and Foot Panel,
Perforated Mild Steel Four Section Top,
IV Pole Socket located at Four Corners,
All MS Parts are Pre-treated and Epoxy Powder Coated.

### **Technical Data**

Overall Dimension 2010 mm x 960 mm (L x W) 79" x 38" Platform Dimension 1900 mm x 840 mm (L x W) 75" x 33"

### **Optional Accessories**

Four Section Mattress, Height adjustable Stainless Steel IV pole Casters 125 mm, Two with lock, Collapsible Side Railing



## Fowler Bed Manual SPM -2002 Manual adjustment of Backrest and Knee Rest, Fixed Height,

Detachable SS Laminated Head and Foot Panel,
Perforated Mild Steel Four Section Top,
IV Pole Socket located at Four Corners,

All MS Parts are Pre-treated and Epoxy Powder Coated.

### **Technical Data**

Overall Dimension 2010 mm x 900 mm (L x W) 79" x 36" Plaffflorm Dimension 1900 mm x 840 mm (L x W) 75" x 33"

### **Optional Accessories**

Four Section Mattress, Height adjustable Stainless Steel IV pole Casters 125 mm, Two with lock, Collapsible Side Railing

### Fowler Bed Manual SPM |-2002

Manual adjustment of Backrest and Knee Rest,
Fixed Height, Detachable Conventional Head and Foot Panel,
Perforated Mild Steel Four Section Top,
IV Pole Socket located at Four Corners,
All MS Parts are Pre-treated and Epoxy Powder Coated.

### **Technical Data**

Overall Dimension 2010 mm x 900 mm (L x W) 79" x 36" Platform Dimension 1900 mm x 840 mm (L x W) 75" x 33"

### **Optional Accessories**

Four Section Mattress, Height adjustable Stainless Steel IV pole Casters 125 mm, Two with lock, Collapsible Side Railing





### Semi Fowler Bed Manual SPM -1001

Manual adjustment of Backrest,
Fixed Height, Detachable ABS Head and Foot Panel,
Perforated Mild Steel Two Section Top,
IV Pole Socket located at Four Corners,
All MS Parts are Pre-treated and Epoxy Powder Coated.

### **Technical Data**

Overall Dimension 2010 mm x 900 mm (L x W) 79" x 36" Platform Dimension 1900 mm x 840 mm (L x W) 75" x 33"

### **Optional Accessories**

Two Section Mattress, Height adjustable Stainless Steel IV pole Casters 125 mm, Two with lock, Collapsible Side Railing



### Semi Fowler Bed Manual SPM -1001

Manual adjustment of Backrest,
Fixed Height, Detachable SS Laminated Head and Foot Panel,
Perforated Mild Steel Two Section Top,
IV Pole Socket located at Four Corners,
All MS Parts are Pre-treated and Epoxy Powder Coated.

### **Technical Data**

Overall Dimension 2010 mm x 9060 mm (L x W) 79" x 36" Plaflflorm Dimension 1900 mm x 840 mm (L x W) 75" x 33"

### **Optional Accessories**

Two Section Mattress, Height adjustable Stainless Steel IV pole Casters 125 mm, Two with lock, Collapsible Side Railing

### Semi Fowler Bed Manual SPM -1001

Manual adjustment of Backrest ,
Fixed Height, Detachable Conventional Head and Foot Panel,
Perforated Mild Steel Two Section Top,
IV Pole Socket located at Four Corners,
All MS Parts are Pre-treated and Epoxy Powder Coated.

### **Technical Data**

Overall Dimension 2010 mm x 900 mm (L x W) 79" x 36" Platform Dimension 1900 mm x 840 mm (L x W) 75" x 33"

### **Optional Accessories**

Two Section Mattress, Height adjustable Stainless Steel IV pole Casters 125 mm, Two with lock, Collapsible Side Railing





### PLAIN BEDSPM -1000P

Conventional Epoxy Powder coated Head and foot panel Fixed Height

Perforated Mild Steel Single Section Top
All M.S Parts are Pre-treated and Epoxy Powder Coated

### **Technical Data**

Overall Dimension 2010 mm x 900 mm (L x W) 79" x 36" Platform Dimension 1900 mm x 840 mm (L x W) 75" x 33"



### ATTENDANT BED SPM |-1000

Fix Mattress with Rexine Cover, Fixed Height All M.S. Parts are Pre-treated and Epoxy Powder Coated

### **Technical Data**

Overall Dimension 1830 mm x 510 mm x 510 mm (L x W X H) (72"~x~24"~x~20")

Platform Dimension 1900 mm x 840 mm (L x W) 75" x 33"



Single Section Perforated Top MS Epoxy Powder Coated





### Paediatric Bed SPM -905

Single section perforated Top
Fixed Height
MS Head and Foot Panel
Full length drop down railing
All MS Parts are Pre-treated and Epoxy Powder Coated.

### **Technical Data**

Overall Dimension 1480 mm x 840 mm (L x W) 58" x 33"



### **BED SIDE LOCKER MEMBRANE PRESS TOP SPM -100**

Having one Cabinet and one drawer,

Membrane pressed top with raised edges, drawer front and cabinet door

All M.S Parts are Pre-treated and Epoxy Powder Coated

### **Technical Data**

Overall Dimension 400 mm x 400 mm x 820 mm (LxWxH) 16"x16"x32" Casters 50 mm Dia



### BED SIDE LOCKER SS TOP SPM -101

Having one Cabinet and one drawer, SS top with raised edges, drawer front and cabinet door All M.S Parts are Pre-treated and Epoxy Powder Coated

### **Technical Data**

Overall Dimension 400 mm x 400 mm x 820 mm (LxWxH) 16"x16"x32" Casters 50 mm Dia

### BED SIDE LOCKER GENERAL TOP SPM |-102

Having one Cabinet SS top, One cabinet All M.S Parts are Pre-treated and Epoxy Powder Coated

### **Technical Data**

Overall Dimension 400 mm x 400 mm x 820 mm (LxWxH) 16"x16"x32"





### **ADJUSTABLE BEDSIDE TABLE SPM -200**

Wooden Top Height adjustable through gear mechanism All M.S Parts are Pre-treated and Epoxy Powder Coated

### **Technical Data**

Overall Dimension Top Size 760 mm x 400 mm (LxW) 30"x16" Height adjustable through gear mechanism 750mm-1060mm (30"-42") Casters 50 mm Dia



### **ADJUSTABLE BEDSIDE TABLE SPM -201**

Wooden Top Height adjustable through knob All M.S Parts are Pre-treated and Epoxy Powder Coated

### **Technical Data**

Overall Dimension Top Size 760 mm x 400 mm (LxW) 30"x16" Height adjustable through Knob 750mm-1060mm (30"-42") Casters 50 mm Dia

### **OVER BED TABLE SPM -202**

MS Tubular Frame Work Mounted on 50 mm dia Casters Wooden Top All M.S Parts are Pre-treated and Epoxy Powder Coated

### **Technical Data**

Overall Dimension 1050 mm x 400 mm x 990 mm (LxWxH) 41"x16"x39" 50 mm dia Casters





### **CRASH CART SPM -500**

Overall Dimension 900 mm x 400 mm x 1540 mm (LxWXH) 36"x16"x61" SS Frame Work and SS Shelves

Two Polystyrene Lockable Storage Units with Three Drawer each 6 Nos. Hand Out Bins to keep important supplies easily accessible Stainless Steel Saline Rod made of 12 mm dia Pull out Cardiac Massage Board Oxygen Cylinder Cage Epoxy Powder Coated Manual Casters 125 mm Dia, two with lock



### Medicine Trolley SPM -501

Overall approx dimensions 750 mm x 380 mm x 910 mm (LxWxH) 30"x15"x36" Complete SS Frame work

Two SS Shelf Detachable

Two Polystyrene Lockable Storage Units with Three Drawer each Mounted on 125 mm Casters, Two with lock

### **Monitor Trolley SPM -502**

Overall approx dimensions
800mmx460mmx1600mm (LxWxH) 32"x18x"63"
Four Shelf and one drawer (24"x18")
Complete MS Frame work and MS Shelves
Switch and Socket for Electric Requirement
Two Push Handle
IV rod
Cylinder Cage
Mounted on 125 mm Casters, Two with lock





### **Gynae Examination Couch SPM -903**

Overall approx dimensions-1830 mm x 560 mm x 810 mm (LxWxH) 72" x 22" x 32", Single Section Top

Three Drawer and Three Cabinet

**Sliding Footrest** 

**BP Apparatus Tray** 

U Cut with Tray

Lithotomy Rod with Belts

Pre-treated and Epoxy Powder Coated





### **Examination Table SPM -904**

Overall approx dimensions-1830 mm x 560 mm x 810 mm (LxWxH) 72" x 22" x 32"

Two section top with fix mattress

Backrest movement on ratchet

Pre-treated and Epoxy Powder Coated

### **Gynae Examination Couch SPM -905**

Overall approx dimensions-1830 mm x 560 mm x 810 mm (LxWxH) 72" x 22" x 32"

Three section top with fix mattress

U Cut in center part

Backrest and Knee rest movement on ratchet

Lithotomy rod and SS bowl

Pre-treated and Epoxy Powder Coated





## Multipurpose Advance Electric Examination Couch SPM -900

Unique design & sturdy base
Height, backrest, Trendelenburg & Reverse Trendelenburg
position adjustment through Handset
Two section top with Molded mattress
Overall Dimension: Length 73" X Width X 27" Height
Adjustment-19" to 32"
Paper roll Holder
Patient Weight Capacity 150 KG





### **Electric Examination Couch SPM -901**

Unique design & sturdy base
Height, backrest position adjustment through Handset
Two section top with Molded mattress
Overall Dimension: Length 76" X Width 25
Height adjustment-19" to 32"
Paper roll Holder
Patient Weight capacity 150 KG

### **Examination Couch SPM -902**

Overall approx Dimension 1830 mm x 560 mm x 810 mm (L x W x H) 72" x 22 " x 32"

Two Section Top with Backrest on Gas Spring

Three Drawer and Three Cabinet

Sliding Footrest

BP Apparatus Tray

Pre-treated and Epoxy Powder Coated





### **Emergency And Recovery Trolley SPM -700**

Overall approx dimensions 2050 mm x 710 mm (LxW) 81"x28"

Height adjustable by Hydraulic Foot pump from 660 mm to 910 mm (26"-36")

Two section X ray Permeable Removable Top

Gas spring assisted Trendelenberg / Rev Trendelenberg Function

Backrest Movement on Ratchet

X ray Cassette Holder

Cylinder cage, IV rod, Utility Tray

Swing away Type Railing on both Side-SS

Buffer on all corner

Casters 125 mm, Two with lock

Pre-treated and Epoxy Powder Coated





### **Stretcher Deluxe MS SPM -701**

Overall approx dimensions 1970mm x 670 mm x 810 mm (L x W x H) 78"x27"x32"

Two section X ray Permeable Removable Top
Two Section Top with Moulded mattress
Backrest Movement on Ratchet
Cylinder cage, IV Rod
Swing away Type Railing on both Side-SS
Buffer on all corner
Casters 125 mm, Two with lock

Pre-treated and Epoxy Powder Coated

### **Stretcher on Trolley Fully SS SPM -702**

- Overall approx dimensions 2050 mm x 560 mm (L x W) 81" x 22"
- Removable Stretcher Top
- Casters 150 mm, Two with Lock
- Complete Stainless Steel Construction
- Optional 2 mm PU Mattress







SS Tubular framework mounted on 125 mm Casters Provided with superior quality canvas bag





### Saline Stand Fully SS SPM |-811

Height adjustment from 1350 mm to 2200 mm (53"-86") Fitted with 50 mm dia non rusting casters SS Base and SS rod with Two Hooks



### Saline Stand Plastic Base SS Pipe SPM -812

Height adjustment from 1350 mm to 2200 mm (53"-86")

Fitted with 50 mm dia Non Rusting Caster

Plastic Base, SS Pipe and SS Rod with

Two Hooks







**SPM** -814



### **Bed Side Stool**

Overall approx dimension 300 mm x 300 mm x 510 mm (LxWxH) 12"x12"x20"

MS Tubular Frame Work Fied with Rubber Shoes Pre-treated and Epoxy Powder Coated

- Top made of SS Sheet SMH-813
- Complete Stainless Steel SMH-814





### **Revolving Stool Fully SS SPM -815**

Height adjustable by screw mechanism from-510mm-690 mm (20"-27") SS tubular Frame Work with SS Top Foot Rest SS Ring Leg Fied with Rubber Shoes



### **Revolving Stool Cushioned Top MS SPM -816**

Height adjustable by screw mechanism from 510 mm-690 mm (20"-27") MS Tubular frame work with cushioned Top Foot Rest SS Ring Leg Fied with Rubber Shoes

### Foot Step Stool Double MS SPM -817

Overall approx dimensions 450 mm x 280 mm x 460 mm (LxWxH) 18"x11"x18"

Mild Steel square Frame Work

Top made of CRCA sheet double bend fltted with aluminum tread flats

Legs Fitted with Rubber Shoes

Pre-treated and Epoxy Powder Coated





### **Foot Step Stool Single MS AH-818**

Overall approx dimensions 450 mm x 280 mm x 230 mm (LxWxH) 18"x11"x9"
Mild Steel Square Frame Work
Top made of CRCA sheet double bend fltted with aluminum tread flats
Legs Fitted with Rubber Shoes
Pre-treated and Epoxy
Powder Coated

### Three Fold Screen MSSPM |-819

Overall approx dimension 1675 mm x 2450 mm (HxL) 65"x96" MS Tubular Frame Work Along with Curtain Pre-treated and Power Coated





### **Labour Table SPM -820**

Overall approx dimensions 1830 mm x 760 mm x 810 mm (L x W x H) 72"x30"x32"

Tubular Frame Work of Stainless Steel

Three Section Top of SS Sheet, Backrest Adjustment On Ratchet, Middle Section with U Cut, Leg Section Telescopic Trendelenburg Position through Gas Spring Mechanism

Stainless Steel Side Rail-removable on three side of the table

Knee Crutches Height adjustable

Stainless Steel IV Rod, Hand Grip and Bowl

50 mm mattress with rexine cover





### **Labour Table MS SPM -830**

Overall approx dimensions 1830 mm x 760 mm x 810 mm (L x W x H) 72"x30"x32"

Tubular Frame Work of Mild Steel Epoxy Powder Coated Three Section Top of SS Sheet, Backrest Adjustment On Ratchet, Middle Section with U Cut, Leg Section Telescopic

Trendelenburg Position Through Gas Spring Mechanism Stainless Steel Side Rail-removable on three side of the table Knee Crutches Height adjustable

Stainless Steel IV Rod, Hand Grip and Bowl

50 mm mattress with rexine cover

### Cylinder Trolley Small SPM -831

Tubular framework fltted with two 100 mm dia Rubber Wheel Suitable for 30 inches Height Gas Cylinder Pre-treated and Epoxy Powder Coated





### **Dressing Trolley SPM -821**

Overall approx dimension 760 mm x 455 mm x 810 mm
(LxWxH) 30"x18"x32"
inless Steel tubular frame mounted on 125 mm casters Two with lock

Stainless Steel tubular frame mounted on 125 mm casters Two with lock
Two SS Shelves with three side railing
Bowl and Bucket





### **Instrument Trolley SPM |-822**

Overall approx dimension 760 mm x 455 mm x 81 mm (LxWxH) 30"x18"x32" Stainless Steel tubular frame mounted on 125 mm casters Two with lock

Two SS Shelves with three side railing

### Mayo Trolley Knob SPM -823

Overall approx dimension 600 mm x 400 mm (LxW) 24"x16" Rectangular SS Frame work, Height adjustment through knob Casters 50 mm, Complete SS construction







### Mayo Trolley Dual Column SPM -824

Overall approx Dimension 900 mm x 400 mm 36"x24" Height Adjustment through gear mechanism Approx Height Adjustment 1125 mm x 1375 mm 45"x55" SS Frame

Non Rusting Castor Two with Brake Two without Brake



Overall approx Height 810 mm (32")
SS Bowl Size 345 mm
Casters 50 mm Dia
Complete SS Construction













OFFICE- G/F, KH. NO. 74/3/10, OLD KH. NO. 2135, PLOT NO. 12-D, AMAR COLONY, NANGLOI, West Delhi, Delhi, 110041